Europäisches Patentamt European Patent Office Office européen des brevets



(11) EP 1 345 146 A2

(12)

EUROPEAN PATENT APPLICATION


(43) Date of publication:

(51) Int CI.7: G06F 17/60

- (21) Application number: 03251209.7
- (22) Date of filing: 27.02.2003
- (84) Designated Contracting States:
 AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
 HU IE IT LI LU MC NL PT SE SI SK TR
 Designated Extension States:
 AL LT LV MK RO
- (30) Priority: 12.03.2002 US 96052
- (71) Applicant: NCR INTERNATIONAL INC. Dayton, Ohio 45479 (US)
- (72) Inventor: Otto, Jerome Arthur Centerville, OH 45459 (US)
- (74) Representative: Williamson, Brian et al International IP Department, NCR Limited, 206 Marylebone Road London NW1 6LY (GB)

(54) Customer activity data system and method

(57) A customer activity data system and method which generate reports for manufacturers, sellers, and other suppliers. The system includes a computer for an aryzing transaction data obtained from a transaction data obtained from a transaction to a terminal and information characterizing customer activity at an information terminal specific to an item bearing a radio frequency identification (RFID) label, and for generating a report.



Description

[0001] The present invention relates generally to point of sales (POS) terminals, and, more specifically, to a customer activity data system and method.

[0002] RFID technology provides an alternative to bar code reader technology for distinguishing and recording items for purchase. Some of the uses of RFID technology are disclosed in U.S. Patent No. 6,019,394 assigned to the assignee of the present invention.

[0003] Price verifiers have been introduced into stores to complement point-of-sale (POS) terminals. Like POS terminals, price verifiers include a barcode reader for reading a barcode label on an item. Price verifiers determine prices from a price look-up file (PLU) file shared with the POS terminals.

[0004] Manufacturers and retailers manage the various categories of items displayed in a retail store based primarily on items sold and on quantities of items sold. This data is obtained from inventory records as products are sold.

[0005] Merchandise management information may be obtained from a price verifier. For example, a customer may use a price verifier to scan two similar products from two different manufacturers. Other activities are also possibile.

(0006) U.S. Patent No. 6,246,995 entitled, "Product Activity Data Collection System", describes the use of a Price Verifier to enhance merchandise management in a retail store. However, without item identification information, this method produces data which is only marcinally useful.

[0007] Therefore, it would be desirable to provide a system and method of collecting item activity data to improve promotion of compared items.

[0008] In accordance with the teachings of the present invention, a customer activity data system and

method is provided.

[0009] It is accordingly an object of the present invention to provide a customer activity data system and 40

method.

[0010] An embodiment of the present invention will now be described, by way of an example, with reference to the accompanying drawings, in which:

Fig. 1 is a block diagram of a transaction processing system; and

Fig. 2 is a flow diagram illustrating the method of the present invention.

[0011] Referring now to Fig. 1, system 10 primarily includes information terminal 12, information server 14, transaction terminal 16, and radio frequency identification (RFID) labels 18.

[0012] Information terminal 12 provides item information to customers. Information terminal 12 may include a kiosk, such as a price verifier. An example information terminal 12 includes processor 20, RFID reader 22, barcode reader 24, touch screen 26, and storage medium

[0013] Processor 20 executes information software 30 which identifies items 28 presented by customers and displays information about items 28. Information software 30 may obtain such information locally or from server 14.

[0014] For example, information software 30 may provide price information to austromers. In this role, information software 30 causes one or both of RFID reader 22 and barcode reader 24 to seek information from items 28. Information software 30 identifies items 28. from the obtained information and requests price information from information server 14. Information server 14. returns the requested price information from price look-up (PLU) file 40 to information software 30 and information software 30 diselegate the information on touch

[015] Processor 20 also executes customer activity monitoring software 32 which recognizes predetermined types of customer activity a information tendinal 12. Types of customer activity include information gathering, such as price checks, and purchases. Customer activity monitoring software 32 logs information characterizing the activity in customer activity data file 36. Customer activity data file 36 mg be stored locally or at

[D016] Server 14 provides information to information similar 13. The information similar 13. The information is typically price information. Server 14 additionally excutes report software 50, which analyses reliations between data from transaction data file 34 and data from customer activity data file 35 to provide insights to even management and to manufacturers and other suppliers. Server 14 stores reports in report of data file 38.

server 14.

[0017] Transaction terminal 16 records sales of items. For this purpose, transaction terminal includes RFID reader 54, which reads RFID labels 18 on purchased items. Transaction terminal 16 stores transaction information in transaction data file 34.

[0018] Storage medium stores transaction data file 34, customer activity data file 36, report data file 38, and PLU file 40. Some of these files may also be stored tocally in information terminal 12 or transaction terminal 45

[0019] RFID labels 18 store information about lems and communicate the information to RFID readess 22 and 64. One embodiment of RFID babel 18 is active and includes RFID communicator 60, memory 62, and embodiment of RFID communicator 60 sends item information atomet in RFID memory 82 to RFID reades in RFID communicator 60 sends item information atomet in RFID memory 220 and 54. RFID communicator 60 may include an RFI prace-beier

[0020] Memory 62 stores the information and may infectude a read-only memory (ROM) for one-time use, or a programmable ROM (EPROM) for repeated use. [0021] Power source 64 may include a battery.

[0022] RFID label 18 may also be a passive label.

Passive RFID labels use very little energy and may only include RFID communicator 60. Power may be derived from radio waves.

[0023] RFID communicator 60 may include a reflective antenna which has a frequency which is unique among RFID labels 18. RFID communicator 60 communicates RFID label identification information which must be cross-referenced to obtain item identification information. RFID communicator 60 may include a number of antennas such as conductive ink antennas.

[0024] RFID labels 18 may vary in size, depending upon product size, and may be visible or hidden when attached to products. RFID label 18 may be removably or permanently attached to products.

[0025] In one example operation, customer activity 17 monitoring software 32 recognizes comparison price checks on different items 28a and 60b at information terminal 12. Customer activity monitoring software 32 obtains RFID label identification information from items 28a and 60b and stores the RFID label identification information from usome activity data file 36.

[0026] This information, linked with purchase information from transaction terminal 16 in transaction data file 34 could provide valuable insight to sellers, manufacturers, and suppliers of items 28a and 60c. The information 25 could enswer questions like "whose product was compared to mine when mine was continue was not purchased", "was my product examined but not compared to any other product", "was my product examined and purchased", and "was my product examined and pur-

[0027] Advantageously, capture of RFID identification information facilitates a higher level of accuracy in mer- 35 chandising data.

[0028] Turning now to Fig. 2, operation is further illustrated in more detail beginning with START 70.
[0029] In step 72, information software 30 obtains
RFID identification information from one or more items
40
28 using RFID reader 22.

[0030] In step 74, customer activity monitoring software 32 recognizes the customer activity at information terminal 12 and logs information characterizing the activity in customer activity data file 36, including the RFID 45 (identification information.

[0031] In step 76, transaction terminal 16 records purchase of none, some, or all of the items at transaction terminal 16. Transaction terminal 16 stores the transaction data, including the RFID identification numbers, in 90 transaction data file 34.

[0032] In step 78, report software 50 analyzes the transaction data and the customer activity data of items with identified RFID labels and generates a report. [0033] In step 80, operation ends.

[0034] Store management, suppliers, and manufacturers benefit from seeing how customers react to specific products. They can use the report information to

alter the products or how they sell the products.

[0035] Although the present invention has been described with particular reference to certain preferred employments thereof, wat since and modifications of the

bodiments thereof, variations and modifications of the present invention can be effected within the spirit and scope of the following claims.

Claims

 A method of tracking customer activity comprising the steps of:

(a) analyzing the transaction data obtained from a transaction terminal and information characterizing customer activity at an information terminal specific to an item bearing a radio frequency identification (RFID) label; and (b) generating a report.

A method of tracking customer activity comprising the steps of:

> (a) obtaining radio frequency identification (RFID) identification information from an RFID label on an item carried by a customer;

(b) recognizing the customer activity related to the item;

(c) storing information characterizing the customer activity:

(d) recording transaction data;

 (e) analyzing the transaction data and the information characterizing the customer activity;
 and

(f) generating a report.

 The method of tracking customer activity as recited in claim 2, wherein step (e) comprises the substep of:

(e-1) determining whether another item was compared to the one item.

 The method of tracking customer activity as recited in claim 3, wherein step (e) further comprises the substep of:

> (e-2) determining whether the item was purchased.

The method of tracking customer activity as recited in claim 4, wherein step (e) further comprises the substep of:

(e-3) determining whether a related item was purchased.

6. A system for tracking customer activity comprising:

3

a computer for analyzing transaction data obtained from a transaction terminal and information characterizing customer activity at an information terminal specific to an item bearing a radio frequency identification (RFID) label, and 5 for generating a report.

7. A system for tracking customer activity comprising:

an information terminal including

a radio frequency identification (RFID) label interrogator for reading information from an RFID label on an item carried by a customer; and

a first computer which recognizes the customer activity related to the item and stores information characterizing the customer activity;


a transaction terminal for recording transaction data; and


- a second computer coupled to the transaction terminal and the information terminal for analyzing the transaction data and the information characterizing the customer activity, and for generating a report.
- The system as recited in claim 7, wherein the second computer also determines whether another 30 item was compared to the one item.
- The system as recited in claim 8, wherein the second computer also determines whether the item was purchased.
- The system as recited in claim 9, wherein the second computer also determines whether a related item was purchased.

40

45

50





(12)


EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 07.01.2004 Bulletin 2004/02 (51) Int CL7: G06F 17/60

- (43) Date of publication A2:
- 17.09.2003 Bulletin 2003/38
- (21) Application number: 03251209.7
- (22) Date of filing: 27.02.2003
- (84) Designated Contracting States: AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PT SE SI SK TR Designated Extension States: AL LT LV MK RO
- (30) Priority: 12.03.2002 US 96052
- (71) Applicant: NCR INTERNATIONAL INC. Dayton, Ohio 45479 (US)
- (72) Inventor: Otto, Jerome Arthur Centerville, OH 45459 (US)
- (74) Representative: Williamson, Brian et al International IP Department, NCR Limited, 206 Marylebone Road London NW1 6LY (GB)

(54) Customer activity data system and method

(57) A customer activity data system and method which generate reports for manufacturers, sellers, and other suppliers. The system includes a computer for analyzing transaction data obtained from a transaction terminal and information characterizing customer activity at an information terminal specific to an item bearing a radio frequency identification (RFID) label, and for generating a report.





EUROPEAN SEARCH REPORT

DOCUMENTS CONSIDERED TO BE RELEVANT

EP 03 25 1209

	DOCUMENTS CONSIL	ERED TO BE RELEVANT			
Category	Citation of document with i of relevant passe	ndication, where appropriate, iges	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)	
X	WO 01 18732 A (CATA 15 March 2001 (200 * page 3, paragraph paragraph; figures	1 3 - page 15, last	1-10	G06F17/60	
х	DE 199 21 748 A (Ki 23 November 2000 (* column 1, line 3	JEGEL STEFAN) 2000-11-23) - column 4, line 37 *	1-10		
x	EP 0 961 253 A (NCI 1 December 1999 (19 * paragraph [0001] claims 7-11 *	R INT INC) 199-12-01) - paragraph [0008];	1-5	, in	
A	Claims /-II "		6-10		
A	WO 99 05659 A (CHE 4 February 1999 (19 * page 9, line 1 - figures 1-6 *	CKPOINT SYSTEMS INC) 099-02-04) page 11, line 5;	1-10		
				TECHNICAL FIELDS SEARCHED (Int.CL7)	
				G06F 607G G08B	
	The present search report has	been drawn up for all cleims Date of constrains of the earth.		Exarina:	
MUNICH		13 November 2003	Bea	atty, J	
CATEGORY OF CITED DOCUMENTS X: particularly relevant if token clone Y: particularly relevant if combined with another countered tills same collegory A: technological background O: non-written declosure P: infermediate document		efter the filing dat her D : document ofted I L : document ofted t	T it beery or privileple underlying the linestation E settler patient document, but published on, or D document to the II the application L document dated for the application L document dated for the application A member of the same patient family, corresponding document		

EP 1 345 146 A3

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 03 25 1209

This ansactists the patient family members relating to the patient documents clied in the above-mentioned European search report. The members are a contained in the European Patient Office EDP Ris on The European Patient Office is in new prist table for these protectiones which are merely given for the purpose of information.

13-11-2003

Patent docume cited in search re		Publication date		Patent family member(s)	Publication date
WO 0118732	A	15-03-2001	AU BE CA EP JP PT	3478800 A 1013810 A3 2382555 A1 1252590 A2 2003527665 T 102442 A	10-04-2001 03-09-2002 15-03-2001 30-10-2002 16-09-2003 29-12-2000
			WO ZA	0118732 A2 200001223 A	15-03-2001 25-01-2001
DE 19921748	A	23-11-2000	DE	19921748 A1	23-11-2000
EP 0961253	Α	01-12-1999	US EP JP	6246995 B1 0961253 A2 2000040182 A	12-06-2001 01-12-1999 08-02-2000
VO 9905659	A	04-02-1999	AU Tw WO	8403698 A 393630 B 9905659 A1	16-02-1999 11-06-2000 04-02-1999

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82